

AMINOQUELANT Zn/Mn FLOW**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.****1.1 Product identifier.**

Product Name: AMINOQUELANT Zn/Mn FLOW
Product Code: F2771, F2776, F2788 and other codes that are being added with the same composition.
UFI: T800-E02X-R00N-T9KX

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Professional use
Agricultural use

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: **BIOIBERICA SAU**
Address: C/ Antic Camí de Tordera 109-119
City: 08389 - Palafolls
Province: Barcelona
Telephone: +34 937 650 390
Fax: +34 934 909 711
E-mail: reach@bioiberica.com
Web: www.bioiberica.com

1.4 Emergency telephone number:(Available 24h)

Bioiberica, SAU. *Palafolls* - ESPAÑA 34-93-765 03 90

Country	Link to the information	Other relevant information
Austria	https://goeg.at/Vergiftungsinformation	NEW https://goeg.at/viz
Belgium	https://www.poissoncentre.be/	
Bulgaria	https://www.moew.government.bg/bg/prevantivn-a-dejnost/himichni-vestestva/klasifikaciya-clp/nacionalen-centur-po-toksikologiya/	The service is available 24/7 and the communication language is Bulgarian
Croatia	https://www.imi.hr/hr/jedinica/centar-za-kontrolu-otrovanja/	Telephone no +3851 2348 342. Information available 24/7 in Croatian and English.
Cyprus	http://www.mlsi.gov.cy/mlsi/dli/dliup.nsf/All/44E02FF962E75D0DC2257DDA00288E83?OpenDocument-Greek	Phone number: 1401
	http://www.mlsi.gov.cy/mlsi/dli/dliup.nsf/All/5D40BF12EB C2295BC2257E1100479BA9?OpenDocument-English	
Czech Republic	https://www.cenia.cz/odborna-podpora/reach/bezpecnostni-listy/	
Denmark	https://www.bispebjerghospital.dk/giftlinjen/Sider/default.aspx	Danish Poison Center (Giftlinjen): +45 8212 1212

AMINOQUELANT Zn/Mn FLOW

Estonia	https://www.terviseamet.ee/en/chemical-and-product-safety/data-for-safety-data-sheet	
Finland	https://www.hus.fi/en/medical-care/medical-services/Poison%20Information%20Centre/Pages/default.aspx	Open 24 hours a day 0800 147 111 (the call is free of charge) 09 471 977
France	https://reach-info.ineris.fr/Numero_orfila	
Germany	https://www.reach-clp-biozid-helpdesk.de/DE/REACH/Sicherheitsdatenblatt/Sicherheitsdatenblatt-EN/Emergency-Telephone-number.html	
Greece	https://echa.europa.eu/documents/10162/23019181/poison_info_centre_en.pdf/58b0f281-a6f8-4362-a0b9-faad57c7fcff	
Hungary	https://www.nnk.gov.hu/index.php/kemiai-biztonsagi-es-kompetens-hatosagi-fo/egeszsegugyi-toxikologiai-tajekoztato-szolgalat	+36-80-201-199 (0-24h, free of charge)
Iceland	http://www.landspitali.is/?PageID=14556	
Ireland	https://www.poisons.ie/	
Italy	https://preparatipericolosi.iss.it/cav.aspx	
Latvia	https://www.meteo.lv/en/lapas/environment/chemical-substances-reach/reach_en?id=1483&nid=410	
Liechtenstein	-	
Lithuania	http://www.apsnuodijau.lt/	+370 (85) 2362052
Luxembourg	https://www.centreantipoisons.be/entreprises/english/how-declare/declarations-grand-duchy-luxembourg	(+352) 8002 5500 Free telephone number with a 24/7 access. Experts answer allurgency questions on dangerous products in French, Dutch and English.
Malta	https://deputyprimeminister.gov.mt/en/Pages/health.aspx	
Netherlands	https://www.umcutrecht.nl/nl/Subsites-nl/Nationaal-Vergiftigingen-Informatie-Centrum-(NVIC)/Productinformatie/Informatiesheet-product-notification	NVIC: +31 (0)88 755 8000: Only for the purpose of informing medical personnel in case of acute intoxications' or in Dutch: 'Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen
Norway	https://helsenorge.no/Giftinformasjon	
Poland	-	
Portugal	https://www.inem.pt/category/servicos/centro-de-informacao-antivenenos/	Portugal CIAV phone number: +351 800 250 250
Romania	-	Phone number: +40213183606
Slovakia	http://www.ntic.sk/ntic_en.php?adr=safetydata	Phone number: +421 2 5477 4166
Slovenia	-	Phone number: 112

Spain	https://www.miteco.gob.es/es/calidad-y-evaluacion-ambiental/temas/productos-quimicos/portal-reach-clp/novedades/detalle_novedades.aspx?id=tcm:30-193752-16	National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 The information will be provided in Spanish (available 24h/365days): health personnel & general public (poisoning cases)
Sweden	https://giftinformation.se/service meny/in-english/chemical-products---information-to-manufacturers-and-suppliers/	

SECTION 2: HAZARDS IDENTIFICATION.**2.1 Classification of the substance or mixture.**


In accordance with Regulation (EU) No 1272/2008:

Aquatic Chronic 2 : Toxic to aquatic life with long lasting effects.

Eye Irrit. 2 : Causes serious eye irritation.

2.2 Label elements.**Labelling in accordance with Regulation (EU) No 1272/2008:**

Pictograms:



Signal Word:

Warning

Hazard statements:

- H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

P statements:

- P102 Keep out of reach of children.
P270 Do not eat, drink or smoke when using this product.
P264 Wash thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P391 Collect spillage.
P501 Dispose of contents/container according to the local legislation

2.3 Other hazards.

AMINOQUELANT Zn/Mn FLOW

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	Specifics concentration limits and Acute toxicity estimate
Index No: 030-013-00-7 CAS No: 1314-13-2 EC No: 215-222-5 Registration No: 01-2119463881-32-XXXX	[2] zinc oxide	2.5 - <25 %	Aquatic Acute 1, H400 - Aquatic Chronic 1, H410	-
CAS No: 81065-51-2	Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt	1 - <3 %	Eye Dam. 1, H318	-

(*)The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

[2] Substance with a national workplace exposure limit (see section 8.1).

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

AMINOQUELANT Zn/Mn FLOW**Skin contact.**

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Irritant Product, repeated or prolonged contact with skin or mucous membranes can cause redness, blisters or dermatitis, inhalation of spray mist or particles in suspension may cause irritation of the respiratory tract, some symptoms may not be immediate.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

SECTION 5: FIREFIGHTING MEASURES.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

5.1 Extinguishing media.**Suitable extinguishing media:**

Extinguisher powder or CO₂. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.**Special risks.**

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.**6.1 Personal precautions, protective equipment and emergency procedures.**

For exposure control and individual protection measures, see section 8.

AMINOQUELANT Zn/Mn FLOW**6.2 Environmental precautions.**

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.**7.1 Precautions for safe handling.**

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep in its original packaging, avoiding extreme conditions of humidity and temperature. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorized persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Professional use. Agricultural use.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**8.1 Control parameters.**

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m ³
zinc oxide	1314-13-2	Éire [1]	Eight hours		2 (Respirable fraction)
			Short term		10

AMINOQUELANT Zn/Mn FLOW

	United States [2] (Cal/OSHA)	Eight hours		10 (Total dust) 5 (Respirable fraction)
		Short term		
	United States [3] (NIOSH)	Eight hours		5 (Total dust) (Ceiling) 15 (Total dust)
		Short term		
	United States [4] (OSHA)	Eight hours		15 (Total dust) 5 (Respirable fraction)
		Short term		

[1] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

[2] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[3] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[4] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Type	Value
zinc oxide CAS No: 1314-13-2 EC No: 215-222-5	DNEL (Workers)	Inhalation, Chronic, Systemic effects	5 (mg/m ³)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Professional use Agricultural use
Breathing protection:	
PPE:	Filter mask for protection against gases and particles.
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.
CEN standards:	EN 136, EN 140, EN 405
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance.
Observations:	Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.
Filter Type needed:	A2



AMINOQUELANT Zn/Mn FLOW

Hand protection:			
PPE:	Work gloves.		
Characteristics:	«CE» marking, category I.		
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420		
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.		
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.		
Material:	PVC (polyvinyl chloride)	Breakthrough time (min.):	> 480
		Material thickness (mm):	0,35
Eye protection:			
If the product is handled correctly, no individual protection equipment is necessary.			
Skin protection:			
PPE:	Work footwear.		
Characteristics:	«CE» marking, category II.		
CEN standards:	EN ISO 13287, EN 20347		
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.		
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**9.1 Information on basic physical and chemical properties.**

Physical state: Viscous liquid

Colour: Light brown

Odour: Characteristic

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: Not applicable/Not available due to the nature/properties of the product

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: > 60 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product

Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: 7.2 - 9.2 (100%)

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: Not applicable/Not available due to the nature/properties of the product

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product

Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 1.59 - 1.65 g/cm³

Relative vapour density: Not applicable/Not available due to the nature/properties of the product

AMINOQUELANT Zn/Mn FLOW

Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Viscosity: 3000 cps

Explosive properties: Not applicable/Not available due to the nature/properties of the product

Oxidizing properties: Not applicable/Not available due to the nature/properties of the product

Dropping point: Not applicable/Not available due to the nature/properties of the product

Blink: Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.**10.1 Reactivity.**

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

IRRITANT MIXTURE. Splashes in the eyes can cause irritation.

11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

There are no tested data available on the product.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Product classified:

AMINOQUELANT Zn/Mn FLOW

Eye irritation, Category 2: Causes serious eye irritation.

d) respiratory or skin sensitisation;
Not conclusive data for classification.

e) germ cell mutagenicity;
Not conclusive data for classification.

f) carcinogenicity;
Not conclusive data for classification.

g) reproductive toxicity;
Not conclusive data for classification.

h) STOT-single exposure;
Not conclusive data for classification.

i) STOT-repeated exposure;
Not conclusive data for classification.

j) aspiration hazard;
Not conclusive data for classification.

11.2 Information on other hazards.**Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.**12.1 Toxicity.**

No information is available regarding the ecotoxicity of the substances present.

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.**13.1 Waste treatment methods.**

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

According to provision 375 of ADR and provision A197 of IATA, these materials when transported in single or combined packaging containing a net quantity per inner or individual packaging of at least 5 for liquids or with a net mass per inner or individual packaging of 5 kg or less for solids, are not subject to any other provision of the ADR provided that the packages comply with the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

If it is transported in more than 5L or Kg, it would be dangerous goods and should comply with the respective provisions of ADR and IATA.

14.1 UN number.

UN 3082

14.2 UN proper shipping name.

Description:

ADR - IMDG - ICAO/IATA:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains zinc oxide), 9, GE III, (E)

14.3 Transport hazard class(es).

Class 9

14.4 Packing group.

Packing group III

14.5 Environmental hazards.

Pollutant for the Environment.

14.6 Special precautions for user.

Label: 9



Hazard number: 90

ADR limited quantity: 5 L

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

Transport by ship, FEm- Emergency sheets (F- Fire, S- Spills): F-A, S-F Act according to point 6.

SECTION 15: REGULATORY INFORMATION.**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.**

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Classification codes:

Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1
Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1
Aquatic Chronic 2 : Chronic effect to the aquatic environment, Category 2

AMINOQUELANT Zn/Mn FLOW

Eye Dam. 1 : Serious eye damage, Category 1

Eye Irrit. 2 : Eye irritation, Category 2

Changes regarding to the previous version:

- Changes in concentrations of substances (SECTION 3.2).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC)**1272/2008 [CLP]:**

Physical hazards On basis of test data

Health hazards Calculation method

Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

PPE: Personal protection equipment.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.